












# Capability

The New Territory is powered by a  $1.8\ell$  engine mated with a 7-speed automatic transmission.



**1.8** EcoBoost® Engine

Max Power

Max Torque

138kW @5200rpm

318<sub>Nm</sub>

@7 500 - 3 000rpm

7-Speed Automatic Transmission

Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations.



#### **Auto Start-Stop Technology**

Automatically cuts off the engine when you don't need it and seamlessly reactivates when you step on the gas, highly assistive when you're waiting at red lights or slogging through a 2-hour stop-and-go traffic.



#### 4 Driving Modes

Choose the driving mode that suits you, whether it's Normal, Eco, Sport, or Mountain, and enjoy a balance of power, torque, and fuel efficiency on all roads.









#### **Rotary e-Shifter**


Take control of gearshifts with the simple turn of a rotary dial conveniently located on the center console.



#### **Electric Parking Brake**

A clever new Electric Parking Brake makes the traditional lever a thing of the past. Via the center console, you can now safely apply the parking brake with a simple switch.









# Infotainment and Technology

The New Territory is equipped with modern tech features and intelligent safety systems offering a smart and comfortable interior space.

12.3-inch Touchscreen Display with Wireless Apple CarPlay® and Android Auto™ˆ

This vibrant central display allows you to control your vehicle settings and effortlessly connect your smartphone keeping your eyes on the road and your hands on the wheel.

^Requires phone with active data service and compatible software. Third Parties are solely responsible for their respective functionality. Apple CarPlay is a trademark of Apple Inc. Android Auto is a trademark of Google, Inc.









# Safety & Convenience

#### Adaptive Cruise Control with Stop & Go\* Function

Maintain a preset speed and distance from the vehicle in front with adaptive cruise control. Stop & Go feature applies the brakes and brings you to a complete stop if the vehicle in front of you stops, and then resumes driving the car autonomously if the stop is less than two/three seconds.

#### **Blind Spot Information System with Rear Cross-Traffic Alert\***

The blind spot warning system alerts you if it detects a vehicle within your New Territory's blind spots, giving you peace of mind and safer, less stressful driving.

#### **All-Round Airbags**

Six airbags protect you and your passengers from every side. These include driver, passenger, front side and side curtain airbags.

#### Lane Departure Warning and Lane Keeping Aid\*

Designed with the purpose of maximum protection for car owners and families on board, the New Territory can detect and warn if you are out of lane as a safety feature.

#### **Autonomous Emergency Braking\***

The New Territory scans the road ahead and alerts you to a potential collision with a vehicle ahead of you. If you don't react, the system brakes for you — literally a life-saving feature.

#### Hill Launch Assist & Hill Descent Control

Driving off on a hill can put the best driving skills to the test. Especially if someone has stopped centimeters from your bumper. Hill Launch Assist takes the worry out of rolling, even in the tightest squeeze.

#### Tyre Pressure Monitoring System

Real-time tyre pressure monitoring system activates a warning light if it detects a significant under-inflation in any of the tyres, excluding the spare.

• Don't drive while distracted. Don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones. • Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations.



We're constantly introducing new tools and services, designed to adapt to your needs throughout the life of your vehicle.



#### Online Service Booking\*

You can now book a service for your Ford using the FordPass app or by visiting the Ford website. Simply enter the website or the app and select your preferred Ford dealer to get your vehicle serviced with the least amount of hassle. You can also edit or cancel your booking at any time from wherever you are.





#### Express Service\*

Ford's 60-minute Express Service is specifically meant for reduced service wait times and when time is of the essence. Our qualified Ford technicians ensure that your vehicle is serviced without any compromise, giving you back more time on the day of service.





#### Vehicle Pick-up & Delivery\*

With Pick-up & Delivery, we can service your vehicle while you stay at home, one of Ford's friendly dealers will do the round trip for you via the pick-up and delivery service.

\*Available at selected Ford dealerships only.

### **Ford Protect**

Ford Protect Offers a holistic suite of service, maintenance, extended warranty and roadside assistance products aimed at keeping your Territory in top running condition.











All Ford Territory derivatives have an Optional Service Plan of 6-year/90 000kms. In addition, various extended service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership. The service plan will cover the scheduled services on your selected plan based on the time, intervals and kilometres. For complete peace-of-mind motoring the Premium Maintenance Plan covers scheduled services, preventative care and replacement of "wear and tear" components as well as mechanical and electrical failure. Terms and Conditions apply.

**Extended Warranty options:** Covering your vehicle for up to 7 years or 200 000kms from the original warranty start date.

**Extended Service Plans options:** Available for up to 8 years or 165 000kms from original warranty start date. (Available from 1 July 2024)

**Extended Maintenance Plans options:** Ford Protect has a variety of maintenance options for up to 7 years or 150 000kms from the original warranty start date.

**Roadside Assistance:** Opt for an additional 1 or 2 years Roadside Assistance.

Please contact your nearest Ford Dealer for more information regarding Ford
Protect plans and products options or visit www.ford.co.za/owner/ford-protect/

Errors and omissions excepted (E&OE). \*\*New Vehicle Limited Warranty.

## Service made easy

When you service at Ford with our qualified Ford technicians, your peace of mind is our top priority. We only use Genuine Ford Parts made for your vehicle and provide you with vehicle health check alerts, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

## **Ford Service Benefits**

#### Our commitment to you

Convenience and reliability, that's what service should be. That is exactly what Ford promises when you service at a Ford dealership. Enjoy peace of mind knowing that your vehicle is handled using specialised diagnostic equipment and Ford approved tools. After all nobody knows your Ford better than we do. Speak to your preferred Ford Dealer today about how we can help you make the most out of your driving experience.

Profess		Territory 1.8L GTDi AT Ambiente	Territory 1.8L GTDi AT Trend	Territory GTDi AT Titanium
Figure         181 ETTS FERRIORS         181	ENGINE			
지		18L GTDi EcoBoost ®	1.81 GTDi EcoBoost®	1.8L GTDi EcoBoost®
Canabil (rich)         1990         1990         1990           Power (WW torp)         1884W892000rm         1884W89200rm	-			
Paser (My 6) prem				
Tomage (Firm)         388-mag 370-3000pm         388-mag 370-3000pm         388-mag 370-3000pm         388-mag 370-3000pm         388-mag 370-3000pm         388-mag 370-3000pm         488-mag 370-3000pm         488-mag 370-3000pm         488-mag 370-3000pm         488-mag 370-3000pm         488-mag 370-3000pm         588-mag 370-3000pm         790-3000pm				
Tenton Bodge         Std         Std         Std           Drive Configuation         PWD         PWD         PWD           TERALISMISION         TWD         PWD         PWD           PERFORMANCE         TOTAL CONTROLL         TOTAL CONTROLL         TOTAL CONTROLL           PERFORMANCE         TOTAL CONTROLL         TOTAL CONTROLL         TOTAL CONTROLL           PERFORMANCE         TOTAL CONTROLL         TOTAL CONTROLL         TOTAL CONTROLL           Modification Controlled (g/m)*         Total Controlled (g/m)*         TOTAL CONTROLLED         TOTAL CONTROLLED           Modification Controlled (g/m)*         Bit Intelligence of Microscoping (Rake & Parker)         EVENTAGE         TOTAL CONTROLLED           SECTION TOWN AND ADMINISTRATION OF CONTROLLED CONTROLL				<u> </u>
Tandum Botes				
PMD				
TRANSINSION         7-speed automatic         7-speed automatic         7-speed automatic           PERFORMANCE         Table (2000ma) **EDIC (1/DOKm (combined cycle)*)**         7-0         7-0         7-0           Commoning (1/DOKm (combined cycle)**         16-1         16-1         16-1         16-1         16-1           SUSPENSION           STEELING           Steeling (Multi-link independent Suspension         Std         Std<		FWD	FWD	
Type   Face	_			
PREPRIOR MANCE         70         70         70           Proble Sconnery - NBDC J 700km (combined cycle)*         161         161         161           SUSPERSION           WARCE-PRESION J Multi-Link Independent Surpension         3rd         3rd         3rd         5rd		7-speed automatic	7-speed automatic	7-speed automatic
Fuel Economy - NEDC L/100km (combined cycle)*				
Size Ensigency Combined (g/km)** 161 161 161 161 161 161 161 161 161 1		7.0	7.0	7.0
Side				
STEERING         Rack & Pinion         Rack & Pinion & Pinion & Pinion & Pinion & P				
Speech   S		Std	Std	Std
Electric Power Assisted Steering (EPAS)		Rack & Pinion	Rack & Pinion	Rack & Pinion
Aguistable steering column – Tillt / Telescoping (Rake & Reach)         Std         Std         Std           Bront discs – Diameter/Width – (mm)         238/25         238/25         238/25           Rear drums – Diameter/Width – (mm)         228/48         228/48         228/48           WHEELS AND TYRES           Wheels         18" Alloy         18" Alloy         19" Alloy           Tyre size         235/55 RIB         235/55 RIB <td></td> <td></td> <td></td> <td></td>				
BRAKES         238/25<				
Front discs – Diemeter/Width – (mm)         238/25         238/25         238/25           Rear drums – Diameter/Width – (mm)         228/48         228/48         228/48           Wheels         18 Palloy         18 Palloy         19 Palloy           Wheels         18 Palloy         18 Palloy         19 Palloy           Yee size         235/55 Fills         235/55 Fills         235/55 Pill           Mint Spare Wheel         7145/60/RI8         7145/60/RI8         7145/60/RI8           Mint Spare Wheel         7145/60/RI8         5td			0.0	0.0
Rear drums		238/25	238/25	238/25
Wheels         18" Alloy         18" Alloy         19" Alloy           Yre size         235/55 RIB         235/55 RIB         235/50 RIB         245         246				
Wheels         18" Alloy         18" Alloy         19" Alloy           Tyre size         235/58 RI8         235/58 RI8         235/58 RI8           Tyre Pressize         174,590RI8         174,500RI8         174,500RI8           Tyre Pressure Monitoring System (TPMS)         Std         Std         Std           Locking wheel nuts – Running         Std         Std         Std           Locking wheel nuts – Spare         Std         Std         Std           Warning Triangle         Std         Std         Std           Spare wheel jack         Std         Std         Std           Spare wheel jack         Std         Std         Std           Dimensions (mm) Exterior           Ground Clearance (mm)         190         190         190           Length (mm)         4630         4630         4630           Height (mm)         1706         1706         1706           Width with mirrors (mm)         1995         1935         1935           Weld with mirrors (mm)         997         997         997           Leg room (mm)         1904         1904         190           Leg room (mm)         997         971         97 <t< td=""><td></td><td>220, 10</td><td>220/10</td><td>220/10</td></t<>		220, 10	220/10	220/10
Tyre size         235/55 R18         235/55 R18         235/50 R19           Minl Spare Wheel         T145/80R18         T145/80R18<		18" Alloy	18" Allov	19" Allov
Mini Spare Wheel         T145/80R18         Std         S				
Type Pressure Monitoring System (TPMS)         Std				
Locking wheel nuts – Running         Std         Std         Std           Locking wheel nuts – Spare         Std				
Locking wheel nuts – Spare         Std         Std         Std           Warning Triangle         Std         Std         Std           Spare wheel jack         Std         Std         Std           Dimensions (mm) Exterior           Ground Clearance (mm)         190         190         190           Length (mm)         4630         4630         4630           Height (mm)         1706         1706         1706         1706           Width with mirrors (mm)         1935         1935         1935           Wheelbase (mm)         2726         2726         2726           Dimensions (mm) Interiors         77         997				
Warning Triangle         Std         Std         Std           Spare wheel jack         Std         Std         Std            Secured Clearance (mm)         190         190         190           Length (mm)         4630         4630         4630         4630           Height (mm)         1706         1706         1706         1706           Width with mirrors (mm)         1935         1935         1935         1935         1935           Wheelbase (mm)         2726 <td></td> <td></td> <td></td> <td></td>				
Spare wheel jack         Std         Std         Std           Dimensions (mm) Exterior         Std         190				
Dimensions (mm) Exterior   190   1				
Ground Clearance (mm)         190         190         190           Length (mm)         4630         4630         4630           Height (mm)         1706         1706         1706           Width with mirrors (mm)         1935         1935         1935           Wheelbase (mm)         2726         2726         2726           Dimensions (mm) Interior           FRONT           Head room (mm)         997         997         997           Leg room (mm)         971         971         971           Leg room (mm)         976         956         956         956           Dimensions (mm) Other         971         971         971         971           Leg room (mm)         956         956         956         956           Dimensions (mm) Other         96         60         60         60           Luggage Capacity with Pear Seats Down(t)         448         448         448           Luggage Capacity with Folded Rear Seats Down(t)         1422         1422         1422           Gross Combination Mass (GCM kg)         3335         3335         3335           Gross Combination Mass (GCM kg)         1635         1635         1635		Stu	Stu	Sta
Length (mm)         4630         4630         4630           Height (mm)         1706         1706         1706           Width with mirrors (mm)         1935         1935         1935           Wheelbase (mm)         2726         2726         2726           Dimensions (mm) Interior           FRONT           Head room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR           Head room (mm)         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other           Fuel Tank (?)         60         60         60           Luggage Capacity with Rear Seats Up(?)         448         448         448           Luggage Capacity with Folded Rear Seats Down(?)         1422         1422         1422           Gross Combination Mass (GCM. kg)         3335         3335         3335           Gross Vehicle Mass [GVM. kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Tack (mm)         1635		190	190	190
Height (mm)         1706         1706         1706           Width with mitrors (mm)         1935         1935         1935           Wheelbase (mm)         2726         2726         2726           Use of mitrors           FRONT           Head room (mm)         997         997         997           Leg room (mm)         971         971         971           Leg room (mm)         976         956         956         956           Pead room (mm)         956         956         956         956           Point Tank (?)         60         60         60         60         60         60           Luggage Capacity with Rear Seats Up(?)         448 <td></td> <td></td> <td></td> <td></td>				
Width with mirrors (mm)         1935         1935         1935           Wheelbase (mm)         2726         2726         2726           Dimensions (mm) Interior         FRONT           Head room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR         Head room (mm)         971         971         971           Head room (mm)         978         956         956         956           Dimensions (mm)         971         971         971         971           Leg room (mm)         956         956         956         956           Dimensions (mm)         971         971         971         971           4 Leg room (mm)         956         <				
Wheelbase (mm)         2726         2726         2726           Dimensions (mm) Interior           FRONT           Head room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR           Head room (mm)         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other           Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422           Gross Combination Mass (GCM /kg)         3335         3335         3335           Gross Vehicle Mass (GVM /kg)         2025         2025         2025           Front Track (mm)         1635         1635         1635           Kear Track (mm)         1635         1635         1635           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36				
Dimensions (mm) Interior           FRONT           Head room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR         T         T         971         971         971         971         197	, ,			
FRONT         Pead room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR         W         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other         W         W         448         448         448           Luggage Capacity with Rear Seats Up(t)         448         448         448         448           Luggage Capacity with Folded Rear Seats Down(t)         1422         1422         1422         1422           Gross Combination Mass (GCM, kg)         3335         3335         3335         3335         3335         3335         3635         1636         1636		2720	2720	2720
Head room (mm)         997         997         997           Leg room (mm)         1034         1034         1034           REAR         ***********************************				
Leg room (mm)         1034         1034         1034           REAR         Head room (mm)         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other           Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folided Rear Seats Down(ℓ)         1422 <td>-</td> <td>997</td> <td>997</td> <td>997</td>	-	997	997	997
REAR           Head room (mm)         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other         """"""""""""""""""""""""""""""""""""				
Head room (mm)         971         971         971           Leg room (mm)         956         956         956           Dimensions (mm) Other         Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422         1422           Gross Combination Mass (GCM kg)         3335         3335         3335         3335           Gross Vehicle Mass [GVM. kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1635         1635         1635           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         Std         Std         Std         Std           Anti-locking Braking System (ABS)         Std         Std         Std         Std           Electronic Brake Assist (EBA)         Std <td></td> <td>1034</td> <td>1034</td> <td>1034</td>		1034	1034	1034
Leg room (mm)         956         956         956           Dimensions (mm) Other         Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422         1422           Gross Combination Mass (GCM, kg)         3335         3335         3335         3335           Gross Vehicle Mass [GVM. kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1635         1635         1635           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         5td         5td         5td         5td           Anti-locking Braking System (ABS)         5td         5td         5td         5td           Electronic Brake Assist (EBA)         5td         5td         5td         5td		971	071	071
Dimensions (mm) Other           Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422           Gross Combination Mass (GCM ,kg)         3335         3335         3335           Gross Vehicle Mass [GVM ,kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         Std         Std         Std           Anti-locking Braking System (ABS)         Std         Std         Std           Electronic Brake Assist (EBA)         Std         Std         Std           Electronic Stability Control (ESC)         Std         Std         Std				
Fuel Tank (ℓ)         60         60         60           Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422           Gross Combination Mass (GCM, kg)         3335         3335         3335           Gross Vehicle Mass [GVM, kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1635         1635         1635           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         Std         Std         Std           Anti-locking Braking System (ABS)         Std         Std         Std           Electronic Brake Assist (EBA)         Std         Std         Std           Electronic Stability Control (ESC)         Std         Std         Std		950	930	930
Luggage Capacity with Rear Seats Up(ℓ)         448         448         448           Luggage Capacity with Folded Rear Seats Down(ℓ)         1422         1422         1422           Gross Combination Mass (GCM,kg)         3335         3335         3335           Gross Vehicle Mass [GVM. kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1630         1630         1630           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         Std         Std         Std           Anti-locking Braking System (ABS)         Std         Std         Std           Electronic Brake Assist (EBA)         Std         Std         Std           Electronic Stability Control (ESC)         Std         Std         Std		60	60	60
Luggage Capacity with Folded Rear Seats Down(ℓ)       1422       1422       1422         Gross Combination Mass (GCM ,kg)       3335       3335       3335         Gross Vehicle Mass [GVM ,kg]       2025       2025       2025         Front Track (mm)       1635       1635       1635         Rear Track (mm)       1630       1630       1630         Kerb Weight (mm)       1630       1630       1630         Turning Circle (m)       11,36       11,36       11,36         Towing capacity - Braked/Unbraked (kg)       1310       1310       1310         SAFETY & SECURITY         Driver Power Door Lock       Std       Std       Std         Anti-locking Braking System (ABS)       Std       Std       Std         Electronic Brake Assist (EBA)       Std       Std       Std         Electronic Stability Control (ESC)       Std       Std       Std	* *			
Gross Combination Mass (GCM ,kg)       3335       3335       3335         Gross Vehicle Mass [GVM. kg]       2025       2025       2025         Front Track (mm)       1635       1635       1635         Rear Track (mm)       1635       1635       1635         Kerb Weight (mm)       1630       1630       1630         Turning Circle (m)       11,36       11,36       11,36         Towing capacity - Braked/Unbraked (kg)       1310       1310       1310         SAFETY & SECURITY         Driver Power Door Lock       5td       5td       5td         Anti-locking Braking System (ABS)       5td       5td       5td         Electronic Brake Assist (EBA)       5td       5td       5td       5td         Electronic Stability Control (ESC)       5td       5td       5td       5td				
Gross Vehicle Mass [GVM. kg]         2025         2025         2025           Front Track (mm)         1635         1635         1635           Rear Track (mm)         1635         1635         1635           Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         5td         5td         5td           Anti-locking Braking System (ABS)         5td         5td         5td           Electronic Brake Assist (EBA)         5td         5td         5td           Electronic Stability Control (ESC)         5td         5td         5td				
Front Track (mm)       1635       1635       1635         Rear Track (mm)       1635       1635       1635         Kerb Weight (mm)       1630       1630       1630         Turning Circle (m)       11,36       11,36       11,36         Towing capacity - Braked/Unbraked (kg)       1310       1310       1310         SAFETY & SECURITY         Driver Power Door Lock       Std       Std       Std         Anti-locking Braking System (ABS)       Std       Std       Std         Electronic Brake Assist (EBA)       Std       Std       Std         Electronic Stability Control (ESC)       Std       Std       Std				
Rear Track (mm)       1635       1635       1635         Kerb Weight (mm)       1630       1630       1630         Turning Circle (m)       11,36       11,36       11,36         Towing capacity - Braked/Unbraked (kg)       1310       1310       1310         SAFETY & SECURITY         Driver Power Door Lock       Std       Std       Std         Anti-locking Braking System (ABS)       Std       Std       Std         Electronic Brake Assist (EBA)       Std       Std       Std       Std         Electronic Stability Control (ESC)       Std       Std       Std       Std				
Kerb Weight (mm)         1630         1630         1630           Turning Circle (m)         11,36         11,36         11,36           Towing capacity - Braked/Unbraked (kg)         1310         1310         1310           SAFETY & SECURITY           Driver Power Door Lock         Std         Std         Std           Anti-locking Braking System (ABS)         Std         Std         Std           Electronic Brake Assist (EBA)         Std         Std         Std           Electronic Stability Control (ESC)         Std         Std         Std				
Turning Circle (m)       11,36       11,36       11,36         Towing capacity - Braked/Unbraked (kg)       1310       1310       1310         SAFETY & SECURITY         Driver Power Door Lock       Std       Std       Std         Anti-locking Braking System (ABS)       Std       Std       Std         Electronic Brake Assist (EBA)       Std       Std       Std         Electronic Stability Control (ESC)       Std       Std       Std				
Towing capacity - Braked/Unbraked (kg) 1310 1310 1310  SAFETY & SECURITY  Driver Power Door Lock Std Std Std Std Std  Anti-locking Braking System (ABS) Std Std Std Std  Electronic Brake Assist (EBA) Std Std Std Std Std				
SAFETY & SECURITY  Driver Power Door Lock Std Std Std Std  Anti-locking Braking System (ABS) Std Std Std  Electronic Brake Assist (EBA) Std Std Std Std  Electronic Stability Control (ESC) Std Std Std Std				
Driver Power Door LockStdStdStdAnti-locking Braking System (ABS)StdStdStdElectronic Brake Assist (EBA)StdStdStdElectronic Stability Control (ESC)StdStdStd		1310	1310	1310
Anti-locking Braking System (ABS)  Electronic Brake Assist (EBA)  Std  Std  Std  Std  Std  Std  Std  St				
Electronic Brake Assist (EBA)     Std     Std     Std       Electronic Stability Control (ESC)     Std     Std     Std				
Electronic Stability Control (ESC) Std Std Std				
Hill Launch Assistance (HLA) Std Std Std				
Blind Spot Information System (BLIS) Std	· · ·	Std	Std	

	Territory 1.8L GTDi AT Ambiente	Territory 1.8L GTDi AT Trend	Territory GTDi AT Titanium
SAFETY & SECURITY (Continued)			
Lane Departure Warning	-	-	Std
Cruise control	Std	Std	-
Adaptive Cruise Control	-	-	Std
Parking Sensors	Rear	Rear	Front & Rear
Collision Mitigation System	-	-	Std
6 Airbags: Dual Front, Side, Curtain	Std	Std	Std
ISOFIX Child Seat Fixings for Rear Outboard Seats	Std	Std	Std
Remote Start	Std	Std	Std
Fuel Status	Std	Std	Std
Thatcham Alarm	Std	Std	Std
Child Proof Rear Door Locks - Manual	Std	Std	Std
Keyless Entry and Keyless Start with Push-Button Start	Std	Std	Std
Front 3-point Seat belts with Load Limiter and Pretensioners	Std	Std	Std
Front Seatbelt Manual Height Adjustment	Std	Std	Std
Beltminders – Driver and Passenger	Std	Std	Std
Rear Belt Detect Left/Right/Middle	Std	Std	Std
Retractable rear 3-point seatbelts in all positions	Std	Std	Std
INTERIOR CONVENIENCE			
Air conditioning – Manual	Std	-	-
Air Conditioning Dual Zone – Automatic	-	Std	Std
Selectable Drive Modes	Std	Std	Std
Rotary Gear Shift Knob	Std	Std	Std
Parking Brake – Electric	Std	Std	Std
Leather Steering Wheel	-	-	Std
Steering Wheel Multi-Media Controls	Std	Std	Std
Trip Computer	Std	Std	Std
Centre Console with Covered Bin and Armrest – Flip	Std	Std	Std
Cup-holder x8 (x4 Front and x4 Rear)	Std	Std	Std
Ambient lightning LED (Centre console and footwell)			Std
Overhead Console with Sunglass Holder	Std	Std	Std
Headliner Interior - Blue	-	-	Std
Headliner Interior - Light Grey	Std	Std	-
Front Sun Visor	Std	Std	Std
Front Map Lights	Std	Std	Std
Illuminated Vanity Mirrors (Driver & Pass)	Std	Std	Std
Rear Courtesy Lamps	Std	Std	Std
Load Compartment Light	Std	Std	Std
Grab handles / Assist Grip - Passenger and Rear	Std	Std	Std
Floor Carpets - Front and Rear	Std	Std	Std
Foot Rest	Std	Std	Std
SEATS Containing Clath	Ct-I		_
Seat trim – Cloth	Std	-	
Seat Trim – Leather	<u>-</u>	Std -	C+A
Seat Trim – Leather  Priver Manual 6, way adjust	- C+4		Std
Driver Manual 6-way adjust	Std	Std	-
Passenger Seat Manual 4-way adjust  Driver Seat Power 10-way adjust	Std	Std	Std
Passenger Seat Power 4-way adjust	-	-	Std
	Std	Std	Std
Front Seats 2-way head restraints  Seat Man Pockets – driver and passenger seats	Std	Std	Std
Seat Map Pockets – driver and passenger seats  Rear Seat Headrest – height adjustable	Std	Std	Std
Rear Centre Armrest with Cup-holder	Std	Std	Std
Second row 60 / 40 folding seat cushion	Std	Std	Std
AUDIO	Siu	Jiu	Siu
In-Vehicle Infotainment System with Voice Recognition, Apple CarPlay®			
and Android Auto™	Std	Std	Std
Wireless Charging	-	Std	Std
Bluetooth	Std	Std	Std
USB ports (Type C x 1, Type A x 3)	Std	Std	Std
Windscreen Mount USB (Charging)	Std	Std	Std
12V Power Plug	Std	Std	Std
7" Cluster TFT w/ Two Analogue Gauges	Std	Std	-

	Territory 1.8L GTDi AT Ambiente	Territory 1.8L GTDi AT Trend	Territory GTDi AT Titanium
AUDIO (Continued)			
12.3" Coloured Touchscreen	Std	Std	Std
Speakers x 6	Std	Std	-
Speakers x 8	-	-	Std
EXTERIOR STYLING			O.G.
Body Coloured Painted Roof	Std	Std	Std
Mud Flaps	Std	Std	Std
Chrome Grille	- -	Std	Std
Black Grille	Std	- -	-
Liftgate - Power	- -	Std	Std
Liftgate - Manual	Std	- Stu	- -
Front Bumper Painted Body Colour	Std	Std	Std
	Std	Std	Std
Rear Bumper Painted Body Colour			
Exterior Mirrors – Body Colour	Std	Std	Std
Exterior Door Handles – Body Colour	Std	Std	-
Exterior Door Handles – Chrome	-	-	Std
Exterior Mirrors – Dual Manual Fold	Std	Std	-
Exterior Mirrors – Power adjustable, Heated, Power folded with Puddle lamps	-		Std
Roof Rack – Aluminum	Std	Std	Std
Power Twin Slide Moon Roof	-	_	Std
Front Towing Hooks	Std	Std	Std
Rear Towing Hooks	Std	Std	Std
Auto Hi-beam Headlamps	-	-	Std
Locking capless fuel filler	Std	Std	Std
Rocker Panel Moulding (Painted Satin Aluminum)	-	Std	Std
Rocker Panel Moulding (MIC Metallic)	Std	- -	3.0
EXTERIOR LIGHTING	Std		
Rear LED Tail Lamps	Std	Std	Std
LED DTRLs (Day Time Running Lamps)	Std	Std	Std
Auto on / off headlamps	-	Std	Std
Auto Headlamps – Follow me home	<u> </u>	Std	Std
Fog Lamps	Front & Rear	Front & Rear	Front & Rear
Puddle Lamps	-	-	Std
WINDOWS	-		Sid
Front and Rear Power Windows	Std		
		-	-
Power Windows With Driver and Rear One-Touch Up/Down Function	-	Std	Std
Variable intermittent front wipers	Std	-	-
Rain sensing wipers	-	Std	Std
Rear wash / wipers	Std	Std	Std
Privacy Glass (2nd Row)	Std	Std	Std
Electric Rear Window Defroster	Std	Std	Std
EXTERIOR PAINT			
Star White	Std	Std	Std
Moonlight Blue	Std	Std	Std
Panther Black	Std	Std	Std
Lustrous Grey	Std	Std	Std
True Blue	Std	Std	Std
Crystal Pearl White	Std	Std	Std
Ruby Red	Std	Std	Std
FordPROTECT			
Service intervals	15 000 km	15 000 km	15 000 km
Service plan: 5 years or 90 000km	0	0	0
Comprehensive warranty	4 years / 120 000 km	4 years / 120 000 km	4 years / 120 000 km
Roadside assistance:	4 years / unlimited km	4 years / unlimited km	4 years / unlimited km
Corrosion warranty: 5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km

Std = Standard O = Optional - = Unavailable

Disclaimer: Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers Fuel economy and emission figures obtained from controlled tests. Note that the actual fuel consumption and emission will depend on many factors including your driving habits, prevailing conditions and your vehicles equipment,

- $\begin{tabular}{ll} ** & Partial Leather is a combination of leather and high-quality, durable materials. \\ \end{tabular}$
- \*\*\* Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions.

Height\*:1707mm 938mm 2726mm 971mm Length\*: 4 625mm Width with Mirrors: 1934mm

#### **Colours & Wheels**



Star White



Ruby Red\*



International model shown.

Panther Black\*



True Blue\*



Crystal Pearl White\*



Lustrous Grey\*



Moonlight Blue\*



Ambiente & Trend: 18" Alloy Wheel



Titanium: 19" Alloy Wheel

<sup>\*</sup>Please note metallic paint is a chargeable option.

#### Contact us

If you have any questions or concerns, please contact our **Customer Relationship Centre** on Tel: 0860 011 022 or email fordcrc2@ford.com

#### Running a fleet?

Our Ford Fleet team is here to assist you in any way we can.

Please email fleetsa@ford.com

Discover more at ford.co.za









